IEE Proceedings Part C

Generation, Transmission and Distribution

The Institution of Electrical Engineers, Savoy Place, London WC2 0BL, England.
Publishing Department: PO Box 8, Southgate House, Stevenage, Herts. SG1 1HQ, England

Volume 129 1982 UK ISSN 0143–7046

HONORARY EDITORS

Dr. B.J. Cory, *Imperial College*
Dr. M.C. Ralph, *NEI Parsons Ltd.*

Pages in issues of *IEE Proceedings Part C*, 1982

Pages	Issue no.	Date
1–44	1	January
45–100	2	March
101–140	3	May
141–184	4	July
185–232	5	September
233–320	6	November

This publication is copyright under the Berne Convention and the International Copyright Convention. All rights reserved. Apart from any copying under the UK Copyright Act 1956, part 1, section 7, whereby a single copy of this article may be supplied, under certain conditions, for the purposes of research or private study, by a library of a class prescribed by the UK Board of Trade Regulations (Statutory Instruments, 1957, no. 868), no part of this publication may be reproduced, stored in a retrieval system or transmitted in any form or by any means without the prior permission of the copyright owners. Permission is, however, not required to copy abstracts of papers or articles on condition that a full reference to the source is shown.

An IEE licensing arrangement exists whereby organisations entering into an agreement are legally entitled to make up to ten copies of an IEE paper or article.

The appearance of the code at the bottom of the first page of an article in this journal indicates the copyright owner's consent that copies of the article may be made in the USA for personal or internal use, or for the personal or internal use of specific clients. This consent is given on the condition, however, that the copier pay the stated per-copy fee through the Copyright Clearance Center Inc. for copying beyond that permitted by Sections 107 or 108 of the US Copyright Law. This consent does not extend to other kinds of copying, such as copying for general distribution, for advertising or promotional purposes for creating new collective works or for resale.

Photocopies of individual papers published in the *IEE Proceedings* can be obtained from the IEE Library at 10p a page plus a handling charge of 50p per paper, which covers the cost of surface mail (airmail extra). The handling charge is waived if reprints are collected from Savoy Place by purchasers.

The IEE is not as a body responsible for the opinions expressed by individual authors.
The IEE is a member of the Association of Learned & Professional Society Publishers.
© 1982: The Institution of Electrical Engineers

Secretary of the IEE: H.H.W. Losty; *Managing Editor:* Bernard Dunkley;
Assistant Editor: Stephen Cokeham; *Graphics Manager:* Maurice Partridge; *Marketing Manager:* Alan Baldwin

Typeset by: Alden Press (London and Northampton) Ltd., England
Printed in England by: Unwin Brothers Ltd., Old Woking, Surrey

IEE Proceedings Part C

Generation, Transmission and Distribution

The Institution of Electrical Engineers, Savoy Place, London WC2 0BL, England.
Publishing Department: PO Box 8, Southgate House, Stevenage, Herts. SG1 1HQ, England

Volume 129 1982 UK ISSN 0143–7046

HONORARY EDITORS

Dr. B.J. Cory, *Imperial College*
Dr. M.C. Ralph, *NEI Parsons Ltd.*

Pages in issues of *IEE Proceedings Part C*, 1982

Pages	Issue no.	Date
1–44	1	January
45–100	2	March
101–140	3	May
141–184	4	July
185–232	5	September
233–320	6	November

This publication is copyright under the Berne Convention and the International Copyright Convention. All rights reserved. Apart from any copying under the UK Copyright Act 1956, part 1, section 7, whereby a single copy of this article may be supplied, under certain conditions, for the purposes of research or private study, by a library of a class prescribed by the UK Board of Trade Regulations (Statutory Instruments, 1957, no. 868), no part of this publication may be reproduced, stored in a retrieval system or transmitted in any form or by any means without the prior permission of the copyright owners. Permission is, however, not required to copy abstracts of papers or articles on condition that a full reference to the source is shown.

An IEE licensing arrangement exists whereby organisations entering into an agreement are legally entitled to make up to ten copies of an IEE paper or article.

The appearance of the code at the bottom of the first page of an article in this journal indicates the copyright owner's consent that copies of the article may be made in the USA for personal or internal use, or for the personal or internal use of specific clients. This consent is given on the condition, however, that the copier pay the stated per-copy fee through the Copyright Clearance Center Inc. for copying beyond that permitted by Sections 107 or 108 of the US Copyright Law. This consent does not extend to other kinds of copying, such as copying for general distribution, for advertising or promotional purposes for creating new collective works or for resale.

Photocopies of individual papers published in the *IEE Proceedings* can be obtained from the IEE Library at 10p a page plus a handling charge of 50p per paper, which covers the cost of surface mail (airmail extra). The handling charge is waived if reprints are collected from Savoy Place by purchasers.

The IEE is not as a body responsible for the opinions expressed by individual authors.
The IEE is a member of the Association of Learned & Professional Society Publishers.
© 1982: The Institution of Electrical Engineers

Secretary of the IEE: H.H.W. Losty; *Managing Editor:* Bernard Dunkley;
Assistant Editor: Stephen Cokeham; *Graphics Manager:* Maurice Partridge; *Marketing Manager:* Alan Baldwin

Typeset by: Alden Press (London and Northampton) Ltd., England
Printed in England by: Unwin Brothers Ltd., Old Woking, Surrey

Index

IEE Proceedings Part C
Generation, Transmission and Distribution
Vol. 129, 1982

ABBREVIATIONS

- p Paper, address or lecture
- d Discussion on a paper
- a Abstract of paper or address
- e Errata
- s Synopsis of a paper published in full in another Part of the IEE Proceedings

Author index

A

Akpinar, S., Coulston, M., Simpson, R.R.S., and Slater, R.D. Calculation of transient current in transformers p30
Al-Rawi, A.M., and Johns, A.T. see Johns, A.T.
Allnutt, J.G., and Rowbottom, M.D. see Rowbottom, M.D.
Alyan, M.A.A.S., Prior, D.L., and Anyaeji, C.A. see Prior, D.L.
Anyaeji, C.A., Prior, D.L., and Alyan, M.A.A.S. see Prior, D.L.
Arrillaga, J., and Hyland, P. Twelve-pulse back-to-back AC/DC conversion for reactive-power control p206
Asem, A.S., and Howe, A.F. Drying of power-transformer insulation p228
Aspragathos, N., and Dimarogonas, A.D. Fatigue damage of turbine-generator shafts due to fast reclosing p1

B

Barnes, R., and Varahedi, E. see Varahedi, E.
Bartram, T.C., and Raju, B.P. see Raju, B.P.
Berg, G.J, and Ghafurian, A see Ghafurian, A
Berg, G.J., and Sharaf, T.A.M. see Sharaf, T.A.M.
Bradbury, J., Kuska, G.F., and Tarr, D.J. Sag and tension calculations for mountainous terrain p213
Brown, E.P.M., and Sirisena, H.R. Accurate representation of commutation overlap effects in steady-state multi AC/HVDC link studies p315
Bumby, J.R. Torsional natural frequencies in the superconducting turbogenerator p141

C

Chan, F.C., and Cory, B.J. Power-system digital back-up protection p306
Chidambara, M.R., Premakumaran, N., Parthsarathy, K., and Khincha, H.P. see Premakumaran, N.
Christina, S., D'Amore, M., and Salerno, M. Digital simulator of transformer windings subject to impulse voltage p172
Corbyn, D.B. New method for digital-computer evaluation of convertor harmonics in power systems using state-variable analysis d138
Cornick, K.J., Ko, Y.M., and Pek, B. Power system transients caused by arcing faults d136
Cory, B.J., and Chan, F.C. see Chan, F.C.
Coulston, M., Akpinar, S., Simpson, R.R.S., and Slater, R.D. see Akpinar, S.

D

D'Amore, M., Christina, S., and Salerno, M. see Christina, S.
Daniels, A.R., Lu, H., and Hazell, P.A. see Lu, H.
Dash, P.K., and Rahman, M.A. see Rahman, M.A.
David, A.K. Availability modelling of stochastic power sources p239
Degens, A.J. Microprocessor-implemented digital filters for the calculation of symmetrical components p111
DeVore, R.V., and Schroeder, E.R. see Schroeder, E.R.
Dimarogonas, A.D., and Aspragathos, N. see Aspragathos, N.

E

El-Missiry, M.M. Electromagnetic forces in sheet-and foil-wound transformers p86
El-Morshedy, A.M.K. Phase-to-phase switching surges on 500 kV unloaded transmission line p199
Eriksson, A.J., and Meal, D.V. Lightning performance and overvoltage surge studies on a rural distribution line p59

F

Fox, B., and McCracken, H. Load-curtailment model for economic loading of thermal generation p233

G

Ghafurian, A, and Berg, G.J Coherency-based multimachine stability study p153
Gibbard, M.J. Co-ordination of multimachine stabiliser gain settings for a specified level of system damping performance p45
Gibbons, J.A.M., Saunders, B.L., and Stannett, A.W. Role of metal debris in the performance of stop joints as used in 275 kV and 400 kV self-contained oil-filled cable circuits d93
Giesner, D.B., Jackson, R.J., and Wilson, A. see Jackson, R.J.

H

Halliburton, T.S., and Sirisena, H.R. Long-term optimal operation of a power system p185
Hasegawa, J., Nishiya, K., and Koike, T. see Nishiya, K.
Hazell, P.A., Lu, H., and Daniels, A.R. see Lu, H.
Hiyama, T. Design of decentralised load-frequency regulators for interconnected power systems p17
Hiyama, T. Optimisation of discrete-type load-frequency regulators considering generation-rate constraints p285
Hope, G.S., Tripathy, S.C., and Malik, O.P. see Tripathy, S.C.
Howe, A.F., and Asem, A.S. see Asem, A.S.
Humpage, W.D., Wong, K.P., and Nguyen, T.T. z-plane synthesis of response functions and interpolators in z-transform electromagnetic transient analysis in power systems p104
Hyland, P., and Arrillaga, J. see Arrillaga, J.

I

Irving, M.R., and Sterling, M.J.H. Substation data validation p119

J

Jackson, R.J., Wilson, A., and Giesner, D.B. Partial discharges in power-cable joints: their propagation along a crossbonded circuit and methods for their detection d93
Jackson, R.L. Electrical performance of aluminium /copper bolted joints p177
Johns, A.T., and Al-Rawi, A.M. Digital simulation of EHV systems under secondary arcing conditions associates with single-pole autoreclosure p49

K

Khincha, H.P., Premakumaran, N., Parthsarathy, K., and Chidambara, M.R. see Premakumaran, N.
Kitchin, R.H. New method for digital-computer evaluation of convertor harmonics in power systems using state-variable analysis d138
Ko, Y.M., Cornick, K.J., and Pek, B. see Cornick, K.J.
Koike, T., Nishiya, K., and Hasegawa, J. see Nishiya, K.
Kuska, G.F., Bradbury, J., and Tarr, D.J. see Bradbury, J.

L

Lu, H., Hazell, P.A., and Daniels, A.R. Co-ordinated single-variable excitation control and governing of turboalternators p278

M

McCracken, H., and Fox, B. see Fox, B.
Malik, O.P., Murthy, S.S., and Tandon, A.K. see Murthy, S.S.
Malik, O.P., Tripathy, S.C., and Hope, G.S. see Tripathy, S.C.
Meal, D.V., and Eriksson, A.J. see Eriksson, A.J.
Mittra, D.K., and Mondal, R.K. Novel fail-safe earth-fault protection schemes for underground coalmines using restricted-neutral system of power supply p35
Mondal, R.K., and Mittra, D.K. see Mittra, D.K.
Murthy, S.S., Malik, O.P., and Tandon, A.K. Analysis of self-excited induction generators p260

N

Nguyen, T.T., Humpage, W.D., and Wong, K.P. see Humpage, W.D.
Nguyen, T.T., and Wong, K.P. see Wong, K.P.
Nishiya, K., Hasegawa, J., and Koike, T. Dynamic state estimation including anomaly detection and identification for power systems p192

O

O'Kelly, D. Probability characteristics of fundamental and harmonic sequence components of randomly varying loads p70
O'Shea, J. Power-system simulator for testing energy-management systems p161

P

Parthsarathy, K., Premakumaran, N., Khincha, H.P., and Chidambara, M.R. see Premakumaran, N.
Pek, B., Cornick, K.J., and Ko, Y.M. see Cornick, K.J.
Premakumaran, N., Parthsarathy, K., Khincha, H.P., and Chidambara, M.R. Some aspects of multilevel load-frequency control of a power system p290
Prior, D.L., Alyan, M.A.A.S., and Anyaeji, C.A. Equivalent circuit representation of a superconducting alternator p266

R

Rahman, M.A., and Dash, P.K. Fast algorithm for digital protection of power transformers p79
Raju, B.P., and Bartram, T.C. Fault-current limiter with superconducting DC bias p166
Rowbottom, M.D., and Allnutt, J.G. Mechanical dampers for the control of full span galloping oscillations p123

S

Salerno, M., Christina, S., and D'Amore, M. see Christina, S.
Saunders, B.L., Gibbons, J.A.M., and Stannett, A.W. see Gibbons, J.A.M.
Schroeder, E.R., and DeVore, R.V. Radio interference on DC lines from HVDC convertor stations p221
Sharaf, T.A.M., and Berg, G.J. Voltampere reactive compensation using chance-constrained programming p24
Simpson, R.R.S., Akpinar, S., Coulston, M., and Slater, R.D. see Akpinar, S.
Sirisena, H.R., and Brown, E.P.M. see Brown, E.P.M.
Sirisena, H.R., and Halliburton, T.S. see Halliburton, T.S.
Slater, R.D., Akpinar, S., Coulston, M., and Simpson, R.R.S. see Akpinar, S.
Stannett, A.W., Gibbons, J.A.M., and Saunders, B.L. see Gibbons, J.A.M.
Sterling, M.J.H., and Irving, M.R. see Irving, M.R.

T

Tandon, A.K., Murthy, S.S., and Malik, O.P. see Murthy, S.S.
Tarr, D.J., Bradbury, J., and Kuska, G.F. see Bradbury, J.
Tripathy, S.C., Hope, G.S., and Malik, O.P. Optimisation of load-frequency control parameters for power systems with reheat steam turbines and governor deadband nonlinearity p10

V

Vanner, M.J. Foundation uplift resistance: the effects of foundation type and of seasonal change in ground conditions p295
Varahedi, E., and Barnes, R. Dynamic behaviour of a 25m variable-geometry vertical-axis wind-turbine generator p249

W

Walkden, F.W. Design of low-voltage distributors p101
Wilson, A., Jackson, R.J., and Giesner, D.B. see Jackson, R.J.
Wong, K.P., and Nguyen, T.T. Power system transients caused by arcing faults d136
Wong, K.P., Humpage, W.D., and Nguyen, T.T. see Humpage, W.D.

Contributors to Discussions Published in IEE Proceedings Part C

Arkell, C.A., **97**
Ball, E.H., **94**
Banks, V.A.A., **99**
Gosling, C.H., **93**
Gregory, B., **94**
Normann Johnsen, J., **96**
Papadopulos, M.S., **98**

Subject index

ARCING

Power system transients caused by arcing faults. K.J.Cornick, Y.M.Ko and B.Pek d136

CABLES AND OVERHEAD LINES

Electrical performance of aluminium /copper bolted joints. R.L.Jackson p177
Fatigue damage of turbine-generator shafts due to fast reclosing. N.Aspragathos and A.D.Dimarogonas p1
Foundation uplift resistance: the effects of foundation type and of seasonal change in ground conditions. M.J.Vanner p295
Lightning performance and overvoltage surge studies on a rural distribution line. A.J.Eriksson and D.V.Meal p59
Mechanical dampers for the control of full span galloping oscillations. M.D.Rowbottom and J.G.Allnutt p123
Partial discharges in power-cable joints: their propagation along a crossbonded circuit and methods for their detection. R.J.Jackson, A.Wilson and D.B.Giesner d93
Role of metal debris in the performance of stop joints as used in 275 kV and 400 kV self-contained oil-filled cable circuits. J.A.M.Gibbons, B.L.Saunders and A.W.Stannett d93
Sag and tension calculations for mountainous terrain. J.Bradbury, G.F.Kuska and D.J.Tarr p213

CIRCUIT BREAKERS AND CIRCUIT BREAKING

Power-system digital back-up protection. F.C.Chan and B.J.Cory p306

COMPUTER APPLICATIONS

Microprocessor-implemented digital filters for the calculation of symmetrical components. A.J.Degens p111
Phase-to-phase switching surges on 500 kV unloaded transmission line. A.M.K.El-Morshedy p199
Substation data validation. M.R.Irving and M.J.H.Sterling p119

CONTROL EQUIPMENT AND APPLICATIONS

Power-system simulator for testing energy-management systems. J.O'Shea p161

CONVERTORS

Accurate representation of commutation overlap effects in steady-state multi AC/HVDC link studies. E.P.M.Brown and H.R.Sirisena p315
Radio interference on DC lines from HVDC convertor stations. E.R.Schroeder and R.V.DeVore p221
Twelve-pulse back-to-back AC/DC conversion for reactive-power control. J.Arrillaga and P.Hyland p206

DIGITAL COMPUTERS AND COMPUTATION

Power-system digital back-up protection. F.C.Chan and B.J.Cory p306

ELECTROMAGNETICS

Electromagnetic forces in sheet-and foil-wound transformers. M.M.El-Missiry p86
z-plane synthesis of response functions and interpolators in z-transform electromagnetic transient analysis in power systems. W.D.Humpage, K.P.Wong and T.T.Nguyen p104

ENERGY CONVERSION AND STORAGE

Availability modelling of stochastic power sources. A.K.David p239
Dynamic behaviour of a 25m variable-geometry vertical-axis wind-turbine generator. E.Varahedi and R.Barnes p249

FAULT LOCATION

Digital simulation of EHV systems under secondary arcing conditions associates with single-pole autoreclosure. A.T.Johns and A.M.Al-Rawi p49
Dynamic state estimation including anomaly detection and identification for power systems. K.Nishiya, J.Hasegawa and T.Koike p192
Novel fail-safe earth-fault protection schemes for underground coal-mines using restricted-neutral system of power supply. D.K.Mittra and R.K.Mondal p35
Power-system digital back-up protection. F.C.Chan and B.J.Cory p306

GENERATORS

Analysis of self-excited induction generators. S.S.Murthy, O.P.Malik and A.K.Tandon p260
Co-ordinated single-variable excitation control and governing of turboalternators. H.Lu, P.A.Hazell and A.R.Daniels p278
Coherency-based multimachine stability study. A Ghafurian and G.J Berg p153
Dynamic behaviour of a 25m variable-geometry vertical-axis wind-turbine generator. E.Varahedi and R.Barnes p249
Equivalent circuit representation of a superconducting alternator. D.L.Prior, M.A.A.S.Alyan and C.A.Anyaeji p266
Optimisation of load-frequency control parameters for power systems with reheat steam turbines and governor deadband non-linearity. S.C.Tripathy, G.S.Hope and O.P.Malik p10
Torsional natural frequencies in the superconducting turbogenerator. J.R.Bumby p141

INSTRUMENTATION AND MEASURING SCIENCE

Microprocessor-implemented digital filters for the calculation of symmetrical components. A.J.Degens p111

INSULATORS AND INSULATION

Drying of power-transformer insulation. A.S.Asem and A.F.Howe p228

LIGHTNING AND LIGHTNING PROTECTION

Lightning performance and overvoltage surge studies on a rural distribution line. A.J.Eriksson and D.V.Meal p59

LOAD AND VOLTAGE REGULATION

Design of decentralised load-frequency regulators for interconnected power systems. T.Hiyama p17
Optimisation of discrete-type load-frequency regulators considering generation-rate constraints. T.Hiyama p285
Some aspects of multilevel load-frequency control of a power system. N.Premakumaran, K.Parthsarathy, H.P.Khincha and M.R.Chidambara p290

MATHEMATICAL TECHNIQUES

Analysis of self-excited induction generators. S.S.Murthy, O.P.Malik and A.K.Tandon p260
Availability modelling of stochastic power sources. A.K.David p239
Coherency-based multimachine stability study. A Ghafurian and G.J Berg p153
Digital simulator of transformer windings subject to impulse voltage. S.Christina, M.D'Amore and M.Salerno p172
Long-term optimal operation of a power system. T.S.Halliburton and H.R.Sirisena p185
Microprocessor-implemented digital filters for the calculation of symmetrical components. A.J.Degens p111
Power-system simulator for testing energy-management systems. J.O'Shea p161
z-plane synthesis of response functions and interpolators in z-transform electromagnetic transient analysis in power systems. W.D.Humpage, K.P.Wong and T.T.Nguyen p104

NETWORKS

New method for digital-computer evaluation of convertor harmonics in power systems using state-variable analysis. R.H.Kitchin d138

NOISE AND INTERFERENCE

Radio interference on DC lines from HVDC convertor stations. E.R.Schroeder and R.V.DeVore p221

POWER SYSTEM PROTECTION

Availability modelling of stochastic power sources. A.K.David p239

Digital simulation of EHV systems under secondary arcing conditions associates with single-pole autoreclosure. A.T.Johns and A.M.Al-Rawi p49
Fast algorithm for digital protection of power transformers. M.A.Rahman and P.K.Dash p79
Fault-current limiter with superconducting DC bias. B.P.Raju and T.C.Bartram p166
Novel fail-safe earth-fault protection schemes for underground coalmines using restricted-neutral system of power supply. D.K.Mittra and R.K.Mondal p35
Optimisation of discrete-type load-frequency regulators considering generation-rate constraints. T.Hiyama p285
Phase-to-phase switching surges on 500 kV unloaded transmission line. A.M.K.El-Morshedy p199
Power-system digital back-up protection. F.C.Chan and B.J.Cory p306
Power system transients caused by arcing faults. K.J.Cornick, Y.M.Ko and B.Pek d136
Probability characteristics of fundamental and harmonic sequence components of randomly varying loads. D.O'Kelly p70
Some aspects of multilevel load-frequency control of a power system. N.Premakumaran, K.Parthsarathy, H.P.Khincha and M.R.Chidambara p290

POWER SYSTEMS AND PLANT

Accurate representation of commutation overlap effects in steady-state multi AC/HVDC link studies. E.P.M.Brown and H.R.Sirisena p315
Analysis of self-excited induction generators. S.S.Murthy, O.P.Malik and A.K.Tandon p260
Co-ordinated single-variable excitation control and governing of turboalternators. H.Lu, P.A.Hazell and A.R.Daniels p278
Co-ordination of multimachine stabiliser gain settings for a specified level of system damping performance. M.J.Gibbard p45
Coherency-based multimachine stability study. A Ghafurian and G.J Berg p153
Design of decentralised load-frequency regulators for interconnected power systems. T.Hiyama p17
Digital simulation of EHV systems under secondary arcing conditions associates with single-pole autoreclosure. A.T.Johns and A.M.Al-Rawi p49
Dynamic state estimation including anomaly detection and identification for power systems. K.Nishiya, J.Hasegawa and T.Koike p192
Fast algorithm for digital protection of power transformers. M.A.Rahman and P.K.Dash p79
Load-curtailment model for economic loading of thermal generation. B.Fox and H.McCracken p233
Long-term optimal operation of a power system. T.S.Halliburton and H.R.Sirisena p185
Microprocessor-implemented digital filters for the calculation of symmetrical components. A.J.Degens p111
New method for digital-computer evaluation of convertor harmonics in power systems using state-variable analysis. R.H.Kitchin d138
Optimisation of discrete-type load-frequency regulators considering generation-rate constraints. T.Hiyama p285
Optimisation of load-frequency control parameters for power systems with reheat steam turbines and governor deadband non-linearity. S.C.Tripathy, G.S.Hope and O.P.Malik p10
Power-system simulator for testing energy-management systems. J.O'Shea p161
Probability characteristics of fundamental and harmonic sequence components of randomly varying loads. D.O'Kelly p70
Radio interference on DC lines from HVDC convertor stations. E.R.Schroeder and R.V.DeVore p221
Some aspects of multilevel load-frequency control of a power system. N.Premakumaran, K.Parthsarathy, H.P.Khincha and M.R.Chidambara p290
Substation data validation. M.R.Irving and M.J.H.Sterling p119
Voltampere reactive compensation using chance-constrained programming. T.A.M.Sharaf and G.J.Berg p24
z-plane synthesis of response functions and interpolators in z-transform electromagnetic transient analysis in power systems. W.D.Humpage, K.P.Wong and T.T.Nguyen p104

POWER TRANSMISSION AND DISTRIBUTION

Co-ordinated single-variable excitation control and governing of turboalternators. H.Lu, P.A.Hazell and A.R.Daniels p278
Design of low-voltage distributors. F.W.Walkden p101
Electrical performance of aluminium /copper bolted joints. R.L.Jackson p177
Fatigue damage of turbine-generator shafts due to fast reclosing. N.Aspragathos and A.D.Dimarogonas p1
Long-term optimal operation of a power system. T.S.Halliburton and H.R.Sirisena p185
Mechanical dampers for the control of full span galloping oscillations. M.D.Rowbottom and J.G.Alinutt p123
Phase-to-phase switching surges on 500 kV unloaded transmission line. A.M.K.El-Morshedy p199
Radio interference on DC lines from HVDC convertor stations. E.R.Schroeder and R.V.DeVore p221
Sag and tension calculations for mountainous terrain. J.Bradbury, G.F.Kuska and D.J.Tarr p213
Voltampere reactive compensation using chance-constrained programming. T.A.M.Sharaf and G.J.Berg p24

POWER UTILISATION AND INDUSTRIAL APPLICATIONS

Novel fail-safe earth-fault protection schemes for underground coalmines using restricted-neutral system of power supply. D.K.Mittra and R.K.Mondal p35

RELAYS

Novel fail-safe earth-fault protection schemes for underground coalmines using restricted-neutral system of power supply. D.K.Mittra and R.K.Mondal p35

SIMULATION

Coherency-based multimachine stability study. A Ghafurian and G.J Berg p153
Dynamic behaviour of a 25m variable-geometry vertical-axis wind-turbine generator. E.Varahedi and R.Barnes p249
Power-system simulator for testing energy-management systems. J.O'Shea p161

STABILITY

Co-ordination of multimachine stabiliser gain settings for a specified level of system damping performance. M.J.Gibbard p45

SUPERCONDUCTIVITY

Equivalent circuit representation of a superconducting alternator. D.L.Prior, M.A.A.S.Alyan and C.A.Anyaeji p266
Torsional natural frequencies in the superconducting turbogenerator. J.R.Bumby p141

SWITCHGEAR

Electromagnetic forces in sheet-and foil-wound transformers. M.M.El-Missiry p86

SYSTEM PROTECTION

Lightning performance and overvoltage surge studies on a rural distribution line. A.J.Eriksson and D.V.Meal p59
Novel fail-safe earth-fault protection schemes for underground coalmines using restricted-neutral system of power supply. D.K.Mittra and R.K.Mondal p35

TRANSFORMERS

Calculation of transient current in transformers. S.Akpinar, M.Coulston, R.R.S.Simpson and R.D.Slater p30
Digital simulator of transformer windings subject to impulse voltage. S.Christina, M.D'Amore and M.Salerno p172
Drying of power-transformer insulation. A.S.Asem and A.F.Howe p228
Electromagnetic forces in sheet-and foil-wound transformers. M.M.El-Missiry p86
Fast algorithm for digital protection of power transformers. M.A.Rahman and P.K.Dash p79
New method for digital-computer evaluation of convertor harmonics in power systems using state-variable analysis. R.H.Kitchin d138
Twelve-pulse back-to-back AC/DC conversion for reactive-power control. J.Arrillaga and P.Hyland p206

TRANSIENTS

Calculation of transient current in transformers. S.Akpinar, M.Coulston, R.R.S.Simpson and R.D.Slater p30
Digital simulator of transformer windings subject to impulse voltage. S.Christina, M.D'Amore and M.Salerno p172

TRANSMISSION AND DISTRIBUTION PLANT

Design of low-voltage distributors. F.W.Walkden p101
Digital simulator of transformer windings subject to impulse voltage. S.Christina, M.D'Amore and M.Salerno p172
Drying of power-transformer insulation. A.S.Asem and A.F.Howe p228
Electromagnetic forces in sheet-and foil-wound transformers. M.M.El-Missiry p86

Fault-current limiter with superconducting DC bias. B.P.Raju and T.C.Bartram p166
Foundation uplift resistance: the effects of foundation type and of seasonal change in ground conditions. M.J.Vanner p295
Mechanical dampers for the control of full span galloping oscillations. M.D.Rowbottom and J.G.Allnutt p123
z-plane synthesis of response functions and interpolators in z-transform electromagnetic transient analysis in power systems. W.D.Humpage, K.P.Wong and T.T.Nguyen p104

Conference Publications

210 Third international conference on sources and effects of power system disturbances 319

Conference Reports

CIRED p41
IEEE winter power meeting p139
Third international conference on sources and effects of power system disturbances p318